

RECEIVED
 JAN 22 2002
 TECH CENTER 1600/2900
 #4
 RECEIVED
 02 JAN 17 PM 1:25
 TECH CENTER 1600/2900
 Page 1 of 3

Form PTO-1449 (REV. 2-32)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO.: 9611-26	SERIAL NO.: 09/957,456
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		APPLICANTS: Tully Michael Underhill and Andrea Dawn Weston	
		FILING DATE: September 21, 2001	
		GROUP: 1636	

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB- CLASS	FILING DATE IF APPROPRIATE
<i>JD</i>	6,143,878	Nov. 7/00	Koopman et al.			

FOREIGN PATENT DOCUMENTS






DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB- CLASS	TRANSLATION YES NO

OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, Etc.)

<i>JD</i>	1.	Ahrens, P. B., M. Solursh, and R. S. Reiter 1977. Stage related capacity for limb chondrogenesis in cell culture Dev. Biol. 60:69-82.
<i>JD</i>	2.	Bader, D., T. Masaki, and D. A. Fischman 1982. Immunochemical analysis of myosin heavy chain during avian myogenesis in vivo and in vitro J Cell Biol. 95:763-70.
<i>JD</i>	3.	Bi, W., J. M. Deng, Z. Zhang, R. R. Behringer, and B. de Crombrughe 1999. Sox9 is required for cartilage formation Nature Genetics. 22:85-9.
<i>JD</i>	4.	Cash, D. E., C. Bock, K. Schughart, E. Linney, and T. M. Underhill 1997. Retinoic acid receptor a function in vertebrate limb skeletogenesis: a modulator of chondrogenesis J. Cell Biol. 136:445-457.
<i>JD</i>	5.	Chen, P., J. L. Carrington, R. G. Hammonds, and A. H. Reddi 1991. Stimulation of chondrogenesis in limb bud mesoderm cells by recombinant human bone morphogenetic protein 2B (BMP-2B) and modulation by transforming growth factor β 1 and β 2 Exp. Cell Res. 195:509-515.
<i>JD</i>	6.	Denker, A. E., A. R. Haas, S. B. Nicoll, and R. S. Tuan 1999. Chondrogenic differentiation of murine C3H10T1/2 multipotential mesenchymal cells: I. Stimulation by bone morphogenetic protein-2 in high-density micromass cultures Differentiation. 64:67-76.

7.	Duprez, D., E. J. de H. Bell, M. K. Richardson, C. W. Archer, L. Wolpert, P. M. Brickell, and P. H. Francis-West 1996. Overexpression of BMP-2 and BMP-4 alters the size and shape of developing skeletal elements in the chick limb <i>Mech Dev.</i> 57:145-157.
8.	Duprez, D. M., M. Coltey, H. Amthor, P. M. Brickell, and C. Tickle 1996. Bone Morphogenetic Protein-2 (BMP-2) inhibits muscle development and promotes cartilage formation in chick limb bud cultures <i>Dev Biol.</i> 174:448-452.
9.	Enomoto-Iwamoto, M., T. Nakamura, T. Aikawa, Y. Higuchi, T. Yuasa, A. Yamaguchi, T. Nohno, S. Noji, T. Matsuya, K. Kurisu, E. Koyama, M. Pacifici, and M. Iwamoto 2000. Hedgehog proteins stimulate chondrogenic cell differentiation and cartilage formation <i>J Bone Miner Res.</i> 15:1659-68.
10.	Goff, D. J., and C. J. Tabin 1997. Analysis of Hoxd-13 and Hoxd-11 misexpression in chick limb buds reveals that Hox genes affect both bone condensation and growth. <i>Development.</i> 124:627-636.
11.	Hall, B. K., and T. Miyake 1995. Divide, accumulate, differentiate: cell condensation in skeletal development revisited <i>Int. J. Dev. Biol.</i> 39:881-893.
12.	Johnson, R. L., and C. J. Tabin 1997. Molecular models for vertebrate limb development <i>Cell.</i> 90:979-990.
13.	Lefebvre, V., W. Huang, V. R. Harley, P. N. Goodfellow, and B. de Crombrughe 1997. SOX9 is a potent activator of the chondrocyte-specific enhancer of the pro $\alpha 1(\text{II})$ collagen gene <i>Mol. Cell. Biol.</i> 17:2336-2346.
14.	Lefebvre, V., G. Zhou, K. Mukhopadhyay, C. N. Smith, Z. Zhang, H. Eberspaecher, X. Zhou, S. Sinha, S. N. Maity, and B. de Crombrughe 1996. An 18-base-pair sequence in the mouse Pro- $\alpha 1(\text{II})$ collagen gene is sufficient for expression in cartilage and binds nuclear proteins that are selectively expressed in chondrocytes <i>Molecular and Cellular Biology.</i> 16:4512-4523.
15.	Murakami, S., M. Kan, W. L. McKeehan, and B. de Crombrughe 2000. Up-regulation of the chondrogenic Sox9 gene by fibroblast growth factors is mediated by the mitogen-activated protein kinase pathway <i>Proc Natl Acad Sci U S A.</i> 97:1113-8.
16.	Ridgeway, A. G., S. Wilton, and I. S. Skerjanc 2000. Myocyte enhancer factor 2C and myogenin up-regulate each other's expression and induce the development of skeletal muscle in P19 cells <i>J Biol Chem.</i> 275:41-6.
17.	Rosen, V., R. S. Thies, and K. Lyons 1996. Signaling pathways in skeletal formation: A role for BMP receptors <i>Ann NY Acad Sci.</i> 785:59-69.
18.	Rudnicki, J. A., and A. M. Brown 1997. Inhibition of chondrogenesis by Wnt gene expression in vivo and in vitro <i>Dev Biol.</i> 185:104-18.
19.	Weston, A., V. Rosen, R. A. S. Chandraratna, and T. M. Underhill 2000. Regulation of skeletal progenitor differentiation by the BMP and retinoid signaling pathways. <i>J. Cell Biol.</i> 148:679-690.
20.	Wright, E., M. R. Hargrave, J. Christiansen, L. Cooper, J. Kun, T. Evans, U. Gangadharan, A. Greenfield, and P. Koopman 1995. The Sry-related gene Sox9 is expressed during chondrogenesis in mouse embryos <i>Nature Genet.</i> 9:15-20.
21.	Yokouchi, Y., S. Nakazato, M. Yamamoto, Y. Goto, T. Kameda, H. Iba, and A. Kuroiwa 1995. Misexpression of <i>Hoxa-13</i> induces cartilage homeotic transformation and changes cell adhesiveness in chick limb buds <i>Genes & Dev.</i> 9:2509-2522.
22.	Zhou, G., S. Garofalo, K. Mukhopadhyay, V. Lefebvre, C. N. Smith, H. Eberspaecher, and B. de Crombrughe 1995. A 182 bp fragment of the mouse pro $\alpha 1(\text{II})$ collagen gene is sufficient to direct chondrocyte expression in transgenic mice <i>Journal of Cell Science.</i> 108:3677-3684.
23.	Zou, H., R. Wieser, J. Massague, and L. Niswander 1997. Distinct roles of type I bone morphogenetic protein receptors in the formation and differentiation of cartilage <i>Genes & Dev.</i> 11:2191-2203.
24.	Murakami, S; Kan, M; McKeehan, W; and de Crombrughe, B 2000. Upregulation of the master chondrogenic factor Sox9 by fibroblast growth factors is mediated by the mitogen-activated protein kinase pathway. 46th Annual Meeting Orth. Research Society March 12-15.

RECEIVED
JAN 22 2002
TECH CENTER 1600/233

	25.	de Crombrugghe Benoit; Lefebvre, Veronique; Behringer, Richard R; Bi, Weimin; Murakami, Shunichi; Huang, WEndong 2000. Transcriptional mechanisms of chondrocyte differentiation matrix biology 19:389-394.
	26.	Murakami, Shunichi; Lefebvre Veronique; and de Crombrugghe, Benoit 2000. Potent inhibition of the master chondrogenic factor Sox9 gene by interleukin-1 and tumor necrosis factor Journal of Bio Chem 275:3687-3692.
	27.	Smits, Patrick et al 2001. The transcription factors l-sox5 and sox6 are essential for cartilage formation Dev. Cell 1:277-290.
	28.	Antoniv, Taras T. et al 2001. Characterization of an evolutionary conserved far-upstream enhancer in the human 2(1) collagen (COL1A2) gene Journ Bio Chem 276:21754-21764.
	29.	Zhou, Guang et al 1998. Three high mobility group-like sequences within a 48-base pair enhancer o the col2a1 gene are required for cartilage-specific expression in vivo Journ Bio Chem 273:14989-14997.
* EXAMINER: Initial if citation considered, whether or not citation is in accordance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.		

William Smith

4-9-03